

QUIZ NO: 134

TOPIC: ELECTRICAL ENGINEERING

DATE: 14/12/2022

- A diode rectifier with a C filter will have average output voltage _____ than that obtained by a rectifier without the C filter ?
 - [A] lower than
 - [B] higher than
 - [C] same as
 - [D] none of the mentioned

Answer: B

- 2. An inductor filter connected in series with a resistive load provides a ?
 - [A] smoothing of the output voltage waveform
 - [B] smoothing of the input voltage waveform
 - [C] smoothing of the output current waveform
 - [D] smoothing of the input current waveform

Answer: C













- **3.** The current ripple factor (CRF) is the ratio of ?
 - [A] Average value/RMS value
 - [B] RMS value/Average value
 - [C] Average value/Maximum value
 - [D] Maximum value/RMS value

Answer: B

- 4. In case of an L filter, the ripple current increases with ?
 - [A] Increase in Load
 - [B] Decrease in Load
 - [C] Increase in the value of L
 - [D] Ripple current never increases

Answer: B

- 5. In case of a C filter, if R (load resistance) is increased?
 - [A] ripple factor is reduced
 - [B] ripple factor is increased
 - [C] ripple factor is not affected
 - [D] increases noise in the circuit

Answer: A













6.	C filters are suitable for lo	ad resistances and L filters are suitable for
	[A] low, low	
	[B] high, high	
	[C] high, low	
	[D] low, high	
	Answer: C	
7.	. An LC filter will have ripple factor value_	(For the s <mark>ame</mark> value of L & C) ?
	[A] lower than that obtained l filter	by L filter b <mark>ut higher</mark> than that obtained by C
	[B] lower than that obtained l	by C filter but higher than that obtained by L
	[C] lower than that obtained I	by either L or C filter
	[D] higher th <mark>an</mark> that obtained	by either L or C filter
	Answer: C	
8.	. In a single-phase full wave rectifier	order harmonics are the most dominant?
	[A] first	
	[B] second	
	[C] third	
	[D] fourth	
	Answer: B	













- 9. A single-phase half wave voltage controller consists of ?
 - [A] one SCR is parallel with one diode
 - [B] one SCR is anti parallel with one diode
 - [C] two SCRs in parallel
 - [D] two SCRs in anti parallel

Answer: B

- 10. The AC voltage controllers are used in _____ applications?
 - [A] power generation
 - [B] electric heating
 - [C] conveyor belt motion
 - [D] power transmission

Answer: B









